## August 1996 OE Clearance OE-Related Items Recovered from Tourtelot Property

Grid/Section	Anomaly ID	Item #	Category	Description	Quantity	Depth (inches)	Estimated Weight (Pounds)
A/1C	5	1		Large frag piece with smaller frag pieces	NA	12	4.00
A/1C	7	1		Frag	1	6	NA
A/1C	9	1	OE Scrap	Small frag mixed with gravel	NA	6	NA
A/2A	35	1		Frag mixed with gravel	NA	24	0.25
A/2A	36	1		Small frag mixed with gravel	NA	12	2.00
A/2B	21	1		Frag mixed with gravel	NA	18	0.50
A/2B	22	1		Small frag mixed with gravel	NA	24	0.50
A/2C A/2C	23 38	1	OE Scrap		NA NA	<u>6</u> 6	0.13 0.25
B/1B	30	1		Frag Frag	2	3	0.25
B/2A	47	1		Large frag mixed with gravel	NA	12	20.00
B/2A	59	1		Frag mixed with gravel	NA	12	4.00
B/2B	11	1		Side of 155mm	1	8	10.00
B/2B	12	1	OE Scrap		NA	8	1.00
B/2B	15	1	OE Scrap	Large frag piece	1	6	0.50
B/2B	16	1		Large frag pieces	2	8	2.00
B/2B	18	1		Large frag piece	1	6	1.00
B/2B	21	1		Large frag piece	1	4	2.00
B/2B	24	1		Large frag piece	1	8	0.50
B/2B	25	1		Large frag pieces	NA	12	20.00
B/2B B/2B	26 27	1		Large frag pieces Large frag pieces	6 NA	12 12	10.00 10.00
B/2B	28	1		Large frag pieces	NA NA	12	0.50
B/2B	29	1	OE Scrap		NA NA	12	1.00
B/2B	46	1		Frag mixed with gravel	NA	6	2.00
B/2B	49	1		Frag mixed with gravel	NA	6	0.25
B/2B	52	1		Frag mixed with gravel	NA	12	60.00
B/2B	52x	1	OE Scrap	Frag mixed with gravel	NA	6	0.50
B/2B	53	1	OE Scrap	Frag mixed with gravel	NA	6	0.50
B/2B	56	1		Small frag mixed with gravel	NA	6	1.00
B/2B	57x	1		Frag mixed with gravel	NA	12	2.00
B/2B	58	1		Frag mixed with gravel	NA	6	1.00
B/2B	62	1		Large frag piece in gravel	1	6	10.00
B/2B B/2C	69 33	1	OE Scrap	Large frag pieces	5 NA	<u>6</u> 6	10.00 0.25
B/2C	44	1		Frag mixed with gravel	NA NA	8	1.00
B/2C	48x	1		Frag mixed with gravel	NA	6	0.06
B/2C	50	1		Frag mixed with gravel	NA	6	5.00
B/2C	51x	1	OE Scrap		1	8	0.06
B/3B	7	1	OE Scrap	Large frag pieces	NA	12	10.00
B/3B	9	1	OE Scrap	Large frag pieces	NA	8	0.25
B/3B	10	1		Large frag pieces	NA	8	1.00
B/3B	71	1		Base section of concrete-filled 155mm w/ small frag	NA	8	20.00
C/2D	6	1		Concrete-filled 90mm	1	4	15.00
C/2D	7	1		Large frag piece	1	3	1.00
C/2D D/3B	9	1	OE Scrap		NA NA	6 24	NA NA
D/3B D/3B	1 8	1	OE Scrap	Large frag pieces	NA NA	4	NA NA
D/3B	9	1	OE Scrap		NA NA	12	20.00
D/3B	11	1		Frag mixed with gravel	NA	6	1.00
D/3C	7	1		Frag mixed with gravel	NA	6	NA
D/4B	28	1		Frag; 60mm mortar frag	NA	18	30.00
D/4C	14	1		Large frag piece	1	3	NA
D/4C	15	1	OE Scrap		NA	6	3.00
D/4C	20	1	OE Scrap		NA	12	10.00
D/4C	26	1	OE Scrap		NA	4	0.25
D/4C	30	1	OE Scrap		NA	6	NA NA
D/5B	32 32	1 2		Base of 20mm HE round	1 NA	2 8	NA 0.13
D/5B D/5C	32	1	OE Scrap		1 1	6	0.13 1.00
N/1B	57	1	OE Scrap		1	6	0.13
P/1A	67	1		Frag (possibly from 75mm)	NA	1	0.13
P/1B	68	1		Frag (possibly from 75mm)	NA	1	0.50
P/1B	70	1		Frag (possibly from 105mm)	NA	2	0.50
P/2A	64	1		Frag from 37mm HE	NA	1	0.25
P/2A	65	1		Frag (possibly from 75mm)	NA	0	0.50
P/2A	66	1		Frag (possibly from 105mm)	NA	1	0.50
P/2B	72	1		Large frag piece	1	0	0.25
P/2B	73	1	OE Scrap		1	1	0.25
P/3B	74	1		Large frag piece	1	2	0.13

Notes: NA = information was not available

Total OE recovered from Tourtelot Property: